



“endless mobility”

Vision

To be users first choice for home health care medical devices.

Mission

Improve the life of patients with quality and value added medicare products.

Value

Innovation, honesty and best after sales service.




For Wheelchair Operations, Please review Product visuals on [YouTube](#) search for "SCURE wheelchair demo"



Index

Eco Wheelchair	05
Deluxe Wheelchair	06
Commode Wheelchair	08
Reclining Wheelchair	10
Cerebral Palsy (C. P.) Child's Wheelchair	12
Attendant Wheelchair	14
Transit Type Wheelchair	15
Power (Motorized) Wheelchair	16
Walker	19
Commode Chair	20
Bath Bench	22
Walking Aids & Wheelchair Accessories	23



Eco Range



Model No. E-101
 • Chrome plated steel frame
 • Fixed arm rest & foot rest

Hospital Bed



Model No. E-102
 • Chrome plated steel frame
 • Fiber molded mag wheel
 • Fixed arm rest & foot rest



Model No. E-107
 • Epoxy powder coated steel frame
 • Fixed arm rest & foot rest
 • Fiber molded mag wheel



Model No. E-108
 • Epoxy powder coated steel frame
 • Flip up arm rest
 • Detachable footrest

The below mentioned facilities are common in all here shown models

- Folding action
- Both side brakes provided
- Maintenance free solid rear wheels

Technical Specifications

Model No.	Total Width	Width of Seat	Height of seat from floor	Total Height	Rear Wheel	Front Castor	Weight Net / Gross	Max. weight loading capacity
E-101	64 cm or 25.19"	46 cm or 18.11"	49 cm or 19.29"	87 cm or 34.25"	58 cm or 22.83"	20 cm or 7.87"	17.1 kg. / 19.2 kg.	100 kg.
E-102	65 cm or 25.59"	46 cm or 18.11"	49 cm or 19.29"	89 cm or 35.03"	62 cm or 24.40"	20 cm or 7.87"	17.8 kg. / 20.4 kg.	100 kg.
E-107	65 cm or 25.59"	46 cm or 18.11"	49 cm or 19.29"	89 cm or 35.03"	62 cm or 24.40"	20 cm or 7.87"	17.8 kg. / 20.4 kg.	100 kg.
E-108	63 cm or 24.80"	46 cm or 18.11"	48 cm or 18.89"	92 cm or 36.22"	58 cm or 22.83"	20 cm or 7.87"	17.9 kg. / 20.1 kg.	100 kg.

Deluxe Range



Model No. D-101



- Ultra light weight aluminum alloy frame**
- Epoxy powder coated frame
 - Flip up arm rest and detachable, swinging foot rest provided
 - Height adjustable arm rest,
 - One touch quick release mechanism in rear Mag wheels for easy transport and storage
 - Detach the rear mag wheels to use for indoor through the small carrying wheels

- Anti wheels for better safety and stability
- Extra cushion seat for better comfort
- Foldable and drop back handle in back rest for quite compact action
- Folding action
- Both side brakes provided
- Safety belt provided
- Maintenance free solid rear wheels

Deluxe Range



Model No. D-102
• Epoxy powder coated steel frame



Model No. D-103



Model No. D-104
• The Model designed for obese (over weight) disable person
• Heavy duty steel frame with epoxy powder coated



Model No. D-105
• The Model designed for obese (over weight) disable person
• Heavy duty steel frame with epoxy powder coated

The below mentioned facilities are common in all here shown models

- Flip up arm rest and detachable, swinging foot rest provided
- One touch quick release mechanism in rear mag wheels for easy transport and storage
- Detach the rear mag wheels to use for indoor through the small carrying wheels
- Anti wheels for better safety and stability
- Extra cushion seat for better comfort
- Foldable and drop back handle in back rest for quite compact action
- Folding action
- Both side brakes provided
- Safety belt provided
- Maintenance free solid rear wheels.

Technical Specifications

Model No.	Total Width	Width of Seat	Height of seat from floor	Total Height	Rear Wheel	Front Castor	Weight Net / Gross	Max. weight loading capacity
D-101	67 cm or 26.37"	46 cm or 18.11"	51 cm or 20.07"	91 cm or 35.82"	61 cm or 24.01"	15 cm or 5.90"	17 kg. / 19.2 kg.	100 kg.
D-102	63 cm or 24.80"	46 cm or 18.11"	49 cm or 19.29"	94 cm or 37.00"	62 cm or 24.40"	20 cm or 7.87"	19.2 kg. / 20.9 kg.	100 kg.
D-103	65 cm or 25.59"	46 cm or 18.11"	54 cm or 21.25"	93 cm or 36.61"	62 cm or 24.40"	20 cm or 7.87"	21.5 kg. / 24.1 kg.	125 kg.
D-104	73 cm or 28.79"	56 cm or 22.04"	54 cm or 21.25"	93 cm or 36.61"	62 cm or 24.40"	20 cm or 7.87"	21.5 kg. / 24.1 kg.	125 kg.
D-105	81 cm or 31.88"	61 cm or 24.01"	51 cm or 20.07"	93 cm or 36.61"	62 cm or 24.40"	20 cm or 7.87"	21.8 kg. / 24.5 kg.	160 kg.

Commode Range



Model No. C-101
• Fixed arm rest & foot rest



Model No. C-102
• Flip up arm rest & detachable, swinging foot rest



Model No. C-106
• Flip up arm rest & detachable, swinging foot rest

The below mentioned facilities are common in all here shown models

- Chrome plated steel frame
- Removable commode bucket for easy cleaning
- Cushion seat when used as wheelchair
- Folding action
- Both side brakes provided
- Maintenance free solid rear wheels

Technical Specifications

Model No.	Total Width	Width of Seat	Height of seat from floor	Total Height	Rear Wheel	Front Castor	Weight Net / Gross	Max. weight loading capacity
C-101	64 cm or 25.19"	44 cm or 17.32"	49 cm or 19.29"	87 cm or 34.25"	58 cm or 22.83"	20 cm or 7.87"	19 kg. / 21.2 kg.	100 kg.
C-102	60 cm or 23.62"	45 cm or 17.71"	53 cm or 20.86"	90 cm or 35.43"	58 cm or 22.83"	15 cm or 5.90"	19.6 kg. / 21.4 kg.	100 kg.
C-103	64 cm or 25.19"	44 cm or 17.32"	53 cm or 20.86"	125 cm or 49.21"	58 cm or 22.83"	15 cm or 5.90"	26.1 kg. / 29.1 kg.	100 kg.
C-106	62 cm or 24.04"	46 cm or 18.11"	50 cm or 19.68"	89 cm or 35.03"	30 cm or 11.81"	20 cm or 7.87"	15 kg. / 17 kg.	100 kg.

Commode Range



Model No. C-103

Reclining high back



Flip up arm rest Detachable arm rest Removable commode bucket Detachable foot rest Swinging foot rest Elevating foot rest

- Detachable arm rest & foot rest provided
- Elevated and swinging foot rest
- Elevated foot rest provided to elevate leg angle
- Reclining high back for quite comfortable posture
- Extra long arm rest frame for reclining posture
- Height adjustable and detachable head rest and head pillow

Reclining Range



Model No. R-101



Flip up arm rest Detachable arm rest Detachable foot rest Swinging foot rest Elevating foot rest Reclining high back Detachable & height adj. head rest Anti wheel

- The model is designed for paraplegic, traumatic and all disabled person**
- Ultra light weight aluminum alloy frame
 - Epoxy powder coated frame
 - Detachable arm rest & foot rest provided
 - Elevated and swinging foot rest
 - Elevated foot rest provided to elevate leg angle
 - Reclining high back for quite comfortable posture

- Extra long arm rest frame for reclining posture
- Height adjustable and detachable head rest and head pillow
- Anti wheels for better safety and stability
- Folding action
- Both side brakes provided
- Safety belt provided
- Maintenance free rear solid wheels

Reclining Range



Model No. R-102

- Flip arm rest & detachable foot rest provided
- Movable handle in arm rest for reclining posture



Model No. R-104

- The model designed with leg immobilization**
- Chrome plated steel frame
 - Detachable arm rest & foot rest provided
 - Elevated and swinging foot rest
 - Elevated foot rest provided to elevate leg angle
 - Folding action
 - Both side brakes provided
 - Safety belt provided
 - Maintenance free rear solid wheels

The below mentioned facilities are common in model no. R-102, R-105

- The model designed for paralyzed, paraplegic, traumatic and all disabled person**
- Epoxy powder coated steel frame
 - Elevated and swinging foot rest
 - Elevated foot rest provided to elevate leg angle
 - Reclining high back for quite comfortable posture
 - Height adjustable and detachable head rest and head pillow
 - Anti wheels for better safety and stability
 - Folding action • Both side brakes provided
 - Safety belt provided • Maintenance free rear solid wheels



Model No. R-105

- Chrome plated steel frame
- Rear wheels are small

Technical Specifications

Model No.	Total Width	Width of Seat	Height of seat from floor	Total Height	Rear Wheel	Front Castor	Weight Net / Gross	Max. weight loading capacity
R-101	68 cm or 26.77"	46 cm or 18.11"	50 cm or 19.68"	127 cm or 50"	61 cm or 24.01"	20 cm or 7.87"	16.5 kg. / 18.7 kg.	100 kg.
R-102	65 cm or 25.59"	41 cm or 16.14"	50 cm or 19.68"	119 cm or 46.85"	58 cm or 22.83"	20 cm or 7.87"	24.3 kg. / 28 kg.	100 kg.
R-104	60 cm or 23.62"	46 cm or 18.11"	50 cm or 19.68"	94 cm or 37.00"	61 cm or 24.01"	15 cm or 5.90"	20 kg. / 22 kg.	100 kg.
R-105	88 cm or 34.64"	41 cm or 16.14"	49 cm or 19.29"	107 cm or 42.12"	40cm or 15.74"	15 cm or 5.90"	20.2 kg. / 22.4 kg.	100 kg.



- Model No. CP-101**
 This model is designed for cerebral palsy child
- Ultra light weight aluminum alloy frame
 - Epoxy powder coated frame
 - Detachable arm rest and foot rest provided
 - Height adjustable arm rest
 - Elevated and swinging foot rest provided
 - Elevated foot rest provided to elevate leg angle
 - Height adjustable and detachable head rest
 - Hydraulic reclining high back for quite comfortable posture
 - Hydraulic adjustable seat angle
 - Detachable back and seat pad
 - Anti wheels for better safety and stability
 - Extra cushion upholstery provided to under arm, head & leg
 - Folding action
 - Lever and paddle brakes provided
 - Safety belt provided
 - Maintenance free rear solid wheels



Detachable arm rest Detachable foot rest Swinging foot rest Elevating foot rest Adjustable seat angle Reclining high back Anti wheel

Technical Specifications for Model No. CP-101

Total Width	Total Width on folding	Width of Seat	Height of seat from floor	Total Height	Rear Wheel	Front Castor	Rear to Front Castor	Weight Net / Gross	Max. weight loading capacity
56cm or 22.04"	26cm or 10.23"	34cm (14.171) / 46cm (18.11")	53cm or 20.86"	94cm or 37"	40.6cm or 15.96"	15cm or 5.90"	104cm or 40.94"	23 kg / 25 kg.	75 kg.



- Model No. CP-103**
- The model is designed for physically challenged and disabled child
 - Chrome plated steel frame
 - Fixed arm rest & foot rest provided



- Model No. CP-104**
- The model is designed for physically challenged and disabled child
 - Ultra light weight aluminum alloy frame
 - Epoxy powder coated frame
 - Flipup arm rest & fixed foot rest provided
 - Foldable drop back handle for quite compact action
 - Extra cushion seat for better comfort
 - Folding action • Both side brakes provided
 - Safety belt provided
 - Maintenance free solid rear wheel



- Model no. CP-105**
- Adjustable seat angle
 - Detachable seat and solid rear wheel
 - Safety belt provided
 - Hydraulic reclining high back for quite comfortable posture
 - Multipurpose table provided



- Model no. CP-106**
- Fixed arm rest & foot rest
 - Foldable dropback handle for quite compact action
 - United lever brakes system

Technical Specifications

Model No.	Total Width	Width of Seat	Height of seat from floor	Total Height	Rear Wheel	Front Castor	Weight Net / Gross	Max. weight loading capacity
CP-103	55 cm or 21.65"	35 cm or 13.77"	47 cm or 18.50"	87 cm or 34.25"	55 cm or 21.65"	15 cm or 5.90"	16.2 kg. / 18.4 kg.	75 kg.
CP-104	51 cm or 20.07"	35 cm or 13.77"	48 cm or 18.89"	89 cm or 35.03"	57 cm or 22.44"	15 cm or 5.90"	13.8 kg. / 16 kg.	75 kg.
CP-105	42 cm or 16.53"	30 cm or 11.81"	49 cm or 19.29"	103 cm or 44.55"	30 cm or 11.81"	15 cm or 5.90"	18 kg. / 20.4 kg.	75 kg.
CP-106	53 cm or 20.86"	30 cm or 11.81"	44 cm or 17.32"	85 cm or 33.46"	53 cm or 20.86"	15 cm or 5.90"	12.3 kg. / 14.4 kg.	75 kg.

Attendant Range



- Model No. A-101**
- Epoxy powder coated steel frame
 - Flip up arm rest and Detachable, swinging foot rest provided
 - Both side brakes provided



- Model No. A-102**
- Chrome plated steel frame
 - Fixed arm rest and Detachable, swinging foot rest provided
 - United lever brakes system



- Model No. A-103**
- Lightweight aluminium frame
 - Fixed arm rest
 - Flip up footplate, solid rear wheel
 - United brakes system

- The below mention facilities are common in all here shown models
- The model designed to operate by attendant
 - Foldable drop back handle for quite compact action
 - Folding action
 - Lifter rod provided
 - Safety belt provided
 - Maintenance free solid wheels
 - United lever brakes system



Flip up arm rest Detachable foot rest Swinging foot rest Portable chair frame Lifter rod A-103 Lifter rod

Technical Specifications

Model No.	Total Width	Width of Seat	Height of seat from floor	Total Height	Rear Wheel	Front Castor	Weight Net / Gross	Max. weight loading capacity
A-101	62 cm or 24.40"	46 cm or 18.11"	50 cm or 19.68"	88 cm or 34.64"	31 cm or 12.20"	20 cm or 7.87"	15 kg / 17 kg.	100 kg.
A-102	56 cm or 22.04"	43 cm or 16.92"	50 cm or 19.68"	96 cm or 37.79"	20 cm or 7.87"	20 cm or 7.87"	13 kg / 15.2 kg.	100 kg.
A-103	59 cm or 23.22"	46 cm or 18.11"	49 cm or 19.29"	90 cm or 35.43"	31 cm or 12.20"	15 cm or 5.9"	9.6 kg / 11.22 kg.	100 kg.

Transit Range



- Model No. T-101**
- Ultra light weight Aluminum alloy frame



- Model No. T-102**
- Epoxy powder coated steel frame



- Model No. T-103**
- Ultra light weight Aluminum alloy frame



- Model No. T-104**
- Ultra light weight Aluminum alloy frame

This model is designed for convenient transit and storage and have common facilities

- Flip up arm rest and fixed foot rest provided
- Paddle brakes in rear wheels
- Foldable & portable chair frame action
- Safety belt provided

Technical Specifications

Model No.	Total Width	Width of Seat	Height of seat from floor	Total Height	Rear Wheel	Front Castor	Weight Net / Gross	Max. weight loading capacity
T-101	45 cm or 17.71"	37 cm or 14.56"	45 cm or 17.71"	89 cm or 35.03"	20 cm or 7.87"	12.5 cm or 4.92"	6.7 kg / 9.4 kg.	100 kg.
T-102	51 cm or 20.07"	38 cm or 14.96"	45 cm or 17.71"	88 cm or 34.64"	15 cm or 5.90"	12.5 cm or 4.92"	7 kg / 9.1 kg.	100 kg.
T-103	37 cm or 14.56"	32 cm or 12.59"	45 cm or 17.71"	87 cm or 34.25"	15 cm or 5.90"	12.5 cm or 4.92"	7 kg / 8.1 kg.	100 kg.
T-104	38 cm or 14.96"	32 cm or 12.59"	45 cm or 17.71"	84 cm or 34.25"	15 cm or 5.90"	10 cm or 3.93"	6 kg / 7.5 kg.	100 kg.

Power Range [Motorized]



Standup Position

Model No. P-102

- Dry Cell battery

Power wheelchair designed to assist the disabled person to stand

- The model designed for motion with stable & safe stand
- The leg platform with safety belts to stable and safe stand
- Detachable arm rest
- Maintenance free and durable rear drive wheels with solid rubber foam
- For indoor and outdoor use
- Anti wheels for better safety and stability
- Light reflector on back side
- Epoxy powder coated frame
- Adjustable controller desk
- Cushion padded seat
- Safety belt provided

- User's friendly operations
- Multi functional microprocessor based controller
- One controller for both functions (driving and moving up / down)
- Front side with lighting lamp
- Battery and speed status indication on controller
- Push button switch for horn
- Automatic magnetic brakes
- Two high torque motors with brake release levers
- Battery charger provided

Technical Specifications

Movement Maximum speed up to 6 km / hr | Can run 25 km on fully charged battery

Model No.	Total Width	Width of Seat	Height of seat from floor	Total Height	Rear Wheel	Front Castor	Weight Net / Gross	Max. weight loading capacity
P-102	59 cm or 23.22"	46 cm or 18.11"	52 cm or 20.47"	96 cm or 37.79"	32 cm or 12.59"	30 cm or 11.81"	67 kg / 85 kg.	100 kg.
km/h	Battery	Motor	Max. incline angle					
22	28 AH	200W x 2	12°					

Power Range [Motorized]



Model No. P-103

- Solid rear wheels with hand rim to operate manually
- Dry Cell battery

Model No. P-106

- Dry Cell battery

Key Features are common for the above shown models

- Detachable arm rest and foot rest • Folding and light weight chair for easy transport and storage
- Solid rear wheels • For indoor and outdoor use • Maintenance free solid rear wheels
- Anti wheels for better safety and stability • Epoxy powder coated frame • Adjustable controller desk
- Cushion padded seat • Safety belt provided
- User friendly operations
- Multi functional microprocessor based controller
- Battery and speed status indication on controller Horn switch to activate horn
- Automatic magnetic brakes
- Two high torque motors with brake release levers
- Battery charger provided

Technical Specifications

Movement Maximum speed up to 7 km / hr ~ Can run 20 km on fully charged battery

Model No.	Total Width	Width of Seat	Height of seat from floor	Total Height	Rear Wheel	Front Castor	Weight Net / Gross	Min. weight loading capacity	km/h	Battery
P-103	70 cm or 27.55"	46 cm or 18.11"	51 cm or 20.07"	96 cm or 37.79"	32 cm or 12.59"	30 cm or 11.81"	67 kg / 85 kg.	100 kg	20	1-7 28 AH
P-106	63 cm or 24.80"	46 cm or 18.11"	50 cm or 20.07"	91 cm or 35.82"	30 cm or 11.81"	20 cm or 7.87"	56.6 kg / 63.2 kg	110 kg	20	1-6 28 AH
Max. incline angle										
200W x 2	8°									
200W x 2	12°									

Power Range [Motorized]



- Model No. P-105**
- Power wheelchair with ultra light weight
 - Aluminum alloy frame (Net weight = 26.5kg.)
 - New advanced light weight lithium battery



- Model No. P-107**
- Power wheelchair with ultra light weight
 - Aluminum alloy frame (Net weight = 22kg.)
 - New advanced light weight lithium battery



- Model No. P-108**
- New advanced light weight with epoxy powder coated steel frame & lithium batteries fitted below both side of hand rest

- Key Features are common for the above shown models**
- Detachable arm rest and foot rest
 - **Folding** and light weight chair for easy transport and storage
 - Foldable drop back handle for quite compact action
 - With foldable push bar
 - For indoor and outdoor use
 - Maintenance free solid rear wheels
 - Anti wheels for better safety and stability
 - Epoxy powder coated frame
 - Adjustable controller desk
 - Cushion padded seat
 - Safety belt provided
 - User's friendly operations
 - Multi functional microprocessor based controller
 - Battery and speed status indication on controller
 - Push button switch for horn • Automatic magnetic brakes
 - Two high torque motors with brake release levers
 - Battery charger provided

Technical Specifications

Movement Maximum speed up to 7 km / hr Can run 20 km on fully charged battery

Model No.	Total Width	Width of Seat	Height of seat from floor	Total Height	Rear Wheel	Front Castor	Weight Net / Gross	Max. weight loading capacity	km/hr	km/h	Battery	Motor	Max. incline angle
P-105	63 cm or 24.80"	41 cm or 16.4"	49 cm or 19.29"	95 cm or 37.40"	62 cm or 24.40"	17 cm or 6.69"	25.9kg / 32.9kg	100 kg.	20	1-7	20 AH	100W x 2	8°
P-107	61 cm or 24.01"	44 cm or 18.4"	49 cm or 19.29"	92 cm or 36.22"	38 cm or 14.96"	17 cm or 6.69"	22 kg / 26.5 kg	110 kg.	20	1-6	20 AH	200W x 2	12°
P-108	61 cm or 24.01"	44 cm or 18.4"	49 cm or 19.29"	93 cm or 36.61"	32 cm or 12.59"	20 cm or 7.87"	28 kg / 34.5 kg	100 kg.	28	1-7	28 AH	200W x 2	12°

Walker



- Model No. WL-101**
- Walker designed for reciprocal (alternate) & fixed movement
 - In reciprocal movement - Each side of the frame moves alternately, which gives complete stability and maximum freedom of movement
 - For fixed movement - Pull the knobs, which is situated beside the walker



Model No. WL-102



- Model No. WL-103**
- Step frame walker designed for easy stand from seat and toilet

- Below mentioned facilities are common for above all shown models**
- Ultra light weight aluminum alloy frame
 - Height adjustable legs
 - Push button for folding action



- Model No. WL-104**
- Walker designed with seat for comfortable resting during walking



- Model No. WL-105**
- Front castors provided for straight and easy movement



- Model No. WL-106**
- Front castors provided for straight and easy movement

Technical Specifications

Model No.	Total Width	Inner Space	Height Adjustment	Weight Net / Gross	Packing position
WL-101	47 cm or 18.50"	46 cm or 18.11"	78 cm or 30.70" - 96 cm or 37.79"	4.8 kg	5.7 kg
WL-102	47 cm or 18.50"	47 cm or 18.50"	78 cm or 30.70" - 96 cm or 37.79"	5.1 kg	6.2 kg
WL-103	48 cm or 18.89"	44 cm or 17.32"	82 cm or 32.28" - 100 cm or 39.37"	5.1 kg	6.4 kg
WL-104	49 cm or 19.29"	44 cm or 17.32"	74 cm or 29.13" - 92 cm or 36.22"	6.7 kg	7.7 kg
WL-105	51 cm or 20.07"	44 cm or 17.32"	79 cm or 31.10" - 97 cm or 38.18"	6 kg	6.9 kg
WL-106	50 cm or 19.68"	44 cm or 17.32"	78 cm or 30.70" - 96 cm or 37.79"	5.5 kg	6.7 kg

Commode Chair



- Model No. CC-101**
- Ultra light weight aluminum alloy frame commode chair
 - Foldable design for easy storage and carrying
 - Back and seat made of high-density ABS plastic for easy cleaning and sturdiness
 - Height adjustable legs
 - Epoxy powder coated



- Model No. CC-102**
- Ultra light weight aluminum alloy frame commode chair
 - Foldable design for easy storage and carrying
 - Back and seat made of high-density ABS plastic for easy cleaning and sturdiness
 - The safety brakes in rear castors ensures stability in wet areas
 - With four swivel castors for easy movement
 - Height adjustable legs



- Model No. CC-103**
- Chrome plated steel frame commode chair
 - Foldable design for easy storage and carrying
 - Back and seat made of high-density ABS plastic for easy cleaning and sturdiness
 - Height adjustable legs

Commode Chair



- Model No. CC-104**
- Epoxy powder coated steel frame commode chair
 - Foldable design for easy storage and carrying
 - Flip down arm rest handle designed for easy cleaning and flexibility
 - Full length legs frame provided to fit over any commode
 - Back and seat made of high-density ABS plastic for easy cleaning and sturdiness
 - Height adjustable legs



- Model No. CC-105**
- Epoxy powder coated steel fixed frame commode chair
 - Flip down arm rest & Foldable foot rest
 - The safety brakes in rear castors ensures stability in wet areas



- Model No. CC-107**
- Stainless steel fixed chair frame
 - The safety brakes in rear castors ensures stability in wet areas
 - Flip down arm rest & Foldable foot rest

Technical Specifications

Model No.	Total Width	Inner Space	Height Adjustment	Weight Net / Gross	Packing pos/cn
CC-101	48 cm or 18.89"	45 cm or 17.71"	78 cm or 30.70" - 88 cm or 34.64"	3.5 kg / 5 kg	1
CC-102	55 cm or 21.65"	44 cm or 17.32"	78 cm or 30.70" - 88 cm or 34.64"	7 kg / 8.2 kg	1
CC-103	48 cm or 18.89"	45 cm or 17.71"	78 cm or 30.70" - 88 cm or 34.64"	6 kg / 7 kg	1
CC-104	48 cm or 18.89"	48 cm or 18.89"	70 cm or 27.55" - 80 cm or 31.49"	7.5 kg / 8.5 kg	1
CC-105	55 cm or 21.65"	45 cm or 17.71"	-----	10.8 kg / 12.8 kg	1
CC-107	54 cm or 21.25"	44 cm or 17.32"	-----	12.3 kg / 13.8 kg	1

Bath bench



Model No. BB 102



Model No. BB 103
 • Pure steel alloy frame
 • Handle provided for 360° rotation of seat



Model No. BB 105



Model No. BB 106
 • foldable aluminium frame with castor & brakes



Model No. BB 107
 • For legs with angle outward to prevent accidental slipping
 • Extra long seat with commode
 • Adjustable back rest | Height adjustable legs



Model No. BB 108
 • Foldable action
 • Powder coated steel frame

The model is designed to use in bathroom for safety and easy cleaning

The below facilities are common for all shown models

- Foldable designed for easy storage and carrying • Ultra light weight aluminium alloy frame • Epoxy powder coated frame
- Back and seat made of hi-density ABS plastic for easy cleaning and sturdiness • Wider base and arm rest for greater stability
- Adjustable back rest • Height adjustable legs

Technical Specifications

Model No.	Total Width	Inner Space	Height Adjustment	Weight Net / Gross	Packing pcs/cn
BB-102	42 cm or 16.53"	50 cm or 19.68"	73 cm or 28.79" - 83 cm or 32.67"	6 kg / 7 kg	2
BB-103	41 cm or 16.14"	51 cm or 20.07"	76 cm or 29.92" - 86 cm or 33.85"	8.5 kg / 10.6 kg	2
BB-105	50 cm or 19.68"	49 cm or 19.29"	82 cm or 32.28" - 91 cm or 35.82"	8.5 kg / 10.6 kg	1
BB-106	75 cm or 29.52"	44 cm or 17.32"	88 cm or 34.64"	6 kg / 7.5 kg	1
BB-107	42 cm or 16.53"	63 cm or 24.80"	83 cm or 32.28" - 93 cm or 36.61"	11 kg / 13.5 kg	2
BB-108	41 cm or 16.14"	50 cm or 19.68"	80 cm or 31.49"	3.9 kg / 8.8 kg	2

All the technical specifications are approximate and subject to change.

Walking Stick & Crutches



WS101A



WS101B



WS102



WS103



WS104



CR101



CR102



CR103



WS105



WS106



WS107

Silicone Gel Cushion (for prevention of Bedsores)



Wheelchair accessories

AC101



Multi purpose table for wheel chair

PL 101



Patient Lifter

AC103



I.V. Stand for wheel chair



WS109



WS110

Silverline Meditech Pvt. Ltd.

An Iso 9001:2008 Company

Unit-I, 40 / 41, Swaminarayan Estate, Opposite New Ujala Hotel,
Ujala Cross Road, S. G. Highway, Ahmedabad 382 210, Gujarat, India.

P + 91 79 2689 0389 M +91 98258 46828

Unit-II, 103 FF, Spectrum Commercial Centre, Salapose Road, Near G.P.O.,
Ahmedabad 380 001, Gujarat, India

P + 91 79 2551 0001 / 0002

info@silverlinemeditech.com | www.silverlinemeditech.com

For Wheelchair Operations,
Please review Product visuals on [YouTube](#) search for "SCURE wheelchair demo"

brms.co.in



www.scure.in

 **scure**[™]
motion to your life